

AUTHORIZATION FOR MEMORIAL INSTALLATION

This is to advise of the purchase of a memorial to be installed at _____

_____ (Name of Cemetery) in Section _____

Plot _____ Grave _____ Number _____ Purchased from:

Company _____
(Name of Memorial Dealer)

Address _____

Memorial described as follows: Material _____

Design _____ Companion _____ Individual _____

Border _____ Letter Style _____

Number of scroll(s) to be furnished with memorial _____ later _____

Memorial to be drilled and tapped for later addition of scroll _____ Yes _____ No

Emblems: Type _____ Size _____ Type _____ Size _____
Type _____ Size _____ Type _____ Size _____

Other information necessary for proper identification of memorial: _____

Layout _____

Manufactured by: _____

Metallic contents of bronze alloy:
Copper _____% Tin _____% Lead _____% Zinc _____%

The undersigned hereby represent(s) that he, she, or they, is or are the exclusive owner(s) of the Interment Rights described above, and hereby authorize(s) _____ (Names of Installer) to install the above described memorial upon the Interment Rights described herein in accordance with the Rules and Regulations and requirements of the Cemetery and agree to indemnify and hold harmless said Cemetery, its agents and employees, against any loss it may sustain in connection with the installation of the memorial authorized hereunder. It is understood that the Cemetery assumes no responsibility for the finish, lettering, accuracy of dates, or emblems, or the omission of same, quality or workmanship of the memorial. It is further understood that the Cemetery shall not be responsible for any error or defects in workmanship in connection with the installation of the memorial.

Each of the undersigned has read and understands the Cemetery's Rules and Regulations and requirements concerning installation of memorials and hereby acknowledges and agrees to the provisions contained therein. It is understood and agreed that should the memorial or installation thereof not comply in full with the Rules and Regulations and requirements of the Cemetery, the deviation shall be rectified to so comply or be removed from the Cemetery within three (3) days of such request.

(Name of Authorizing Party)

Dated _____

(Signature)

(Name of Authorizing Party)

Dated _____

(Signature)